



Mini-Moonshadow Fountain Instructions

Welcome to the Bluworld/Water Wonders family. A few simple steps will ensure that your Mini-Moonshadow Remains a soothing, enjoyable fountain that brings the sights and sounds of nature to you.

Tools Required:

No Tools Necessary.

Parts List:

- A. Curved Water Dispenser
- B. Washer/Hex Nut/Pump Coupling
- C. Slate Strap/Fastener
- D. Slate Slab
- E. Pump and Transformer
- F. Bowl
- G. Ring
- H. Rock Dish
- I. Bag of Rocks
- J. Slate Strap Grip Tape



A.



B.



C.



D.



E.



F.




G.



H.



I.



J.

Assembly:

1. Remove packaging materials and parts from box and lay them out for ease of reference.

2. Locate the Curved Water Dispenser with hex nut, washer and pump coupling (A & B)), see Fig. 2.A. Unscrew the hex nut, washer, and coupling (B) from the Curved Water Dispenser (A) as shown in Fig. 2.B and 2.C.



Fig. 2.A



Fig. 2.B



Fig. 2.C

3. Slide the threaded end of the Curved Water Dispenser (A) into the rock dish (H) Fig. 3.A. Slide the washer (B) over the threaded end of the curved water dispenser (A) from Fig.3.B. Screw the hex nut (B) to the threaded end of the curved water dispenser (A) pipe coupling as shown in Fig. 3.C. Screw the pump coupling (Threaded white plastic tube) (B) onto the threaded end of the water dispenser pipe coupling (A) as shown in Fig. 3.D. Please do not over tighten.



Fig. 3.A



Fig. 3.B



Fig. 3.C



Fig. 3.D

4. Please locate Pump (E) and please make sure that the pump is preset to its lowest setting by sliding the pump flow control to the left as shown in Fig 4.A.



Fig. 4.A

5. After the pump level has been properly adjusted, while grasping the assembled Curved Water Dispenser/Rock Dish (A&H) from step 2 in one hand, take the pump (E) in the other hand place the pump intake manifold into the pump coupling (B) by simply pushing while gently twisting the two into place as shown in Fig. 5.A. Slip the wire from the pump (E) through the Ring (G) as shown in Fig. 5.B. Note that the notch is away from the pump. Place the assembled unit into the center of the Bowl (F) as seen in Fig. 5.C. The pump should rest in the center of the ring. Make sure that the wire from the pump (E) is placed through the notch in the Ring (G) and continues outside the Bowl (F) so that the transformer (E) will be outside the bowl (F). See Fig. 5.C .



Fig. 5.A



Fig. 5.B




Fig. 5.C

6. Locate the Strap(C), Fastener(C), and Slate Strap Grip Tape (J). Remove adhesive paper from Grip Tape (J) and apply to the underside of the slate strap (C) as shown in figures 6.A to 6.C. Attach the Slate Strap (C) to the Slab of Slate (D) by screwing the strap (C) onto the Slab of Slate (D) as shown in Fig.6.D. (NOTE. Slate is a natural product and will vary in thickness.) Then slide the assembled unit onto the pipe so that it hangs over the center of the rock dish (H) see Fig. 6.E. Take care not to scratch the curved Water Dispenser (A). Remove the rocks from the bag (I). Position the rocks onto the rock dish (D). Place smaller rocks on the rock dish around the larger rocks and under the slate as shown in figure 6.F. Fill the fountain bowl with water (distilled or purified recommended) to a level ¼" below the rock dish. Using a spray bottle, mist both sides of the hanging slate to help the water "wick" to the slate and ensure full coverage.



Fig. 6.A



Fig. 6.B




Fig. 6.C



Fig. 6.D



Fig. 6.E



Fig. 6.F

7. You are now ready to plug in the fountain and enjoy the soft, soothing and relaxing sounds of nature in your home or office. Control splashing or affect your fountain's tone by repositioning or stacking rocks under the hanging slate tile's water stream.

Maintenance:

Check the water in your fountain daily for a water level of $\frac{1}{4}$ " – $\frac{3}{4}$ " from the top of the reservoir pan. Water will evaporate from the fountain and adversely affect the performance of the water pump, which MUST be completely submerged for proper operation and longevity. NEVER ALLOW YOUR WATER PUMP TO OPERATE DRY!

Our water pumps are designed to provide exceptional pumping capacity with minimal maintenance. Please see the instructions below for important maintenance information:

- Pump is noisy: Check that the pump's output nozzle is securely inserted into the fountain's intake tube as forced water escaping the connection may cause unwanted air bubble noise. Make sure the pump is completely submerged. To access the pump, lift rock dish from the support ring.
- Fountain splashes: Reposition rocks around the slate water stream to minimize splashing. Make sure pipe and coupling connection is secure and that the water pump flow adjustment control is not positioned at its highest setting.
- Water does not flow: Make sure pump output nozzle is inserted into the rubber intake tube, pump is completely submerged in water and the cord is plugged in to a working receptacle. Check to see that flow adjustment control is positioned to a low setting.
- Water does not flow properly onto slate tile: Make sure the pipe is not situated at an angle above the fountain bowl. Adjust and/or slide the slate tile along the pipe until positioned completely under the water dispersement holes and the tile's edges hang in line with the pipe. Check to see that the pump flow control is at a middle setting.

If you have any questions regarding the set-up or maintenance of your fountain please call our customer service department at 407-427-7674.

LIMITED WARRANTY

BLUWORLD INNOVATIONS warrants this product to be free from defects in material and workmanship for 90 days from the original date of purchase by the consumer. This warranty is limited to the replacement of defective parts or components. In addition, the submersible pump is warranted by its manufacturer for a period of six (6) months against defective material and workmanship. All claims must be presented to the manufacturer along with the original purchase receipt to verify a valid warranty period. BLUWORLD INNOVATIONS will not be responsible or liable for any damage caused by negligence or misuse, goods damaged in transit, or improper set up, installation or assembly by the purchaser. Please read all instructions carefully. *Notice: Glass mirrors and plastics have prevalent characteristics such as bubbles, mirror rubs, slight discolorations, blurs, and hairline scratches. These are to be expected, as they are inherent qualities that meet or exceed federal specifications*

DD-G-451D

Attention

New Warranty in effect as of August 1, 2008

Bluworld's Warranty has changed as of August 1, 2008 and supersedes all previous warranties for product purchased after August 1, 2008. If there is printed material within this shipment it is considered void and the Warranty as stated below is policy.

Bluworld product is warranted against defects that render it unfit for its reasonably intended use. This Warranty is not extended to cover use of the product for a purpose other than as intended, and if the product is used unreasonably, or for purposes other than as intended, or if it is altered, modified or repaired by a party other than Bluworld, then the Warranty shall be null and void. The Warranty is in effect for a period of six months beginning from the date of sale to the original retail purchaser and the rights under this Warranty are limited to the original retail purchaser. Bluworld will, upon written notification thereof, take commercially reasonable steps to correct such defects (see "manufacturers defects below"), at Bluworld's sole option, by suitable repair, replacement, or refund. THIS LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHER WARRANTY OF QUALITY, WHETHER EXPRESS OR IMPLIED, EXCEPT FOR THE WARRANTY OF TITLE AGAINST PATENT INFRINGEMENT. Corrections of nonconformities, in the manner and for the period of time provided above, shall constitute fulfillment of all liabilities of Bluworld to any Dealer with respect to the goods, whether based on contract, negligence, and strict tort or otherwise. Bluworld contract sales personnel, including but not limited to authorized Dealers and Resellers (collectively, "Sales Personnel"), are not authorized to make warranties about Bluworld merchandise. ORAL STATEMENTS DO NOT CONSTITUTE WARRANTIES. Oral statements made by Bluworld employees or other Sales Personnel shall not be relied upon by a Dealer and shall not become part of any contract for sale. The entire sales contract between a Dealer and Bluworld will be set forth in the invoice and/or accompanying or reference documents provided by Bluworld to the Dealer or Sales Personnel. No other warranties are given beyond those set forth in those documents. Please be aware that you may have valuable rights under the state law in which you reside. Some of the provisions of this Warranty may be prohibited by your state law in which case your state law will govern and control. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Our products are warranted for a period of six months against defects in finish, pumps and other product performance issues. Light bulbs are not warranted. Our experience has shown that in practically 100% of incidents that any defect is apparent within a week of installation and use. Appearance defects should be noticed upon unpacking the fountain. We have found that finishes have 'failed' due to poor maintenance, local water conditions with minerals affecting the finish, attempts to clean with harsh chemicals or abrasive pads being used. Performance of water flow, spitting, and other 'leaks', are usually caused by debris getting into the fountain, buildup of minerals, algae from poor water or lack of maintenance. Pumps can also fail due to water levels not being maintained in the reservoir and this is not covered by the warranty.

Manufacturers Defect defined - A distinct and obvious flaw in the manufacturing of the product that inhibits the product's ability to function properly or a distinct and obvious flaw in the workmanship of the product that affects its physical appearance. Bluworld water features are manufactured under generally accepted manufacturing techniques as recognized by the International Organization of Standardization. Our products are hand made and hand finished thus minor scratches in materials within accepted ranges are not considered defects.

Slate- Many of our products contain natural slate. Slate can vary to a large degree and that individuality is what is considered to be unique and inherent to the beauty of the natural product as no two are exactly alike. Photos in our marketing materials are representative of our slate products but should not be relied on to duplicate the photo. We use natural mined slate in our products. Personal taste in the appearance of slate is not considered a reason for a return.

Mirrors-We use tempered mirror in our water features for safety reasons and the process of tempering the mirror may cause the mirrors not to reflect images in the same manner of a non-tempered mirror which is designed to reflect images in their true form. When water is flowing over our tempered mirror surfaces, these slight differences are not noticeable and this is not considered a reason for a return.

Copper- Since we have numerous products manufactured with natural pure copper it is important to note that we do protect the copper with a clear heat-baked on powder coat material. This material should last for a minimum of one year but water conditions may affect the length of protection it will afford to the copper. Copper oxidizes differently than other metals and personal tastes differ as to an individual's perception of it. It may oxidize as a green oxidation or rose colored blush. You can minimize this by wiping down the oxidation and then applying wax or Pledge™ to that area. This condition is not a reason for a return or warranty claim.