

Custom Shade Sail Quote Request Form

875 W Poplar Ave #23-130 • Collierville TN 38017 • 888-253-9736 • 901-751-8809

	Customer Information
Name	
Address	
Phone	
Email (make clear)	

Completely fill out & click button to send via email.

Or scan / take a pic with smart phone and email to sales@backyardcity.com or fax 901-531-8145.

Please allow 24 business hours to process quotes.


REQUEST FOR QUOTE ONLY.

	Perimeter Types							
1.5-inch webbing	Most common. 1.5in webbing & Delta Rings in corners - 1,800 lbs break strength							
2-inch webbing	2in webbing & Delta Rings in Corners - 5,500 lbs break strength							
1/8th inch cable	1/8 in stainless steel cable & Delta Rings in corners - 2,000 lbs break strength							
1/4th inch cable	1/4 in stainless steel wire & Delta Rings in corners - 6,000 lbs break strength							

	Commercia	l 95 Mesh Fabric	Awning Grade Sunbrella Canvas Fabric					
Ī	High Density Polyethylene Breathable	Aquatic Blue, Black, Bright G	•	Solution Dyed Acrylic Canvas,		Beige, Forest Green, Terra-Cotta		
	Fabric unaffected by moisture and	Brunswick Green, Cayenne, Cedar, Cherry Red,		Breathable water resistant canvas	as	Taupe, Jockey Red, Pacific Blue,		
	temperature extremes	Desert Sand, Gun Metal, Natural White, Navy,		fabric		Natural, Toast, Sunflower Yellow,		
	 ~340GSM / 95% to 98% UV Block 	Ochre Red, Orange, Rivergum, Royal Purple,	•	95% to 98% UV Block.		· · · · · · · · · · · · · · · · · · ·		
	 10 Year Limited Warranty 	Turquoise, Sky Blue, Steel Gray, Yellow	•	10 Year Limited Warranty		Special Order #		

How to measure for your custom shade sail.

Measure the distance from mounting point to mounting point for your shade sail OR from corner to corner of the actual sail, **NOT BOTH**. Non-Rectangular or Square shade sails require an additional diagonal measurement in addition to side measurements. If you supply us with mounting point dimensions, we will deduct approximately 11in. from each measurement to allow for mounting hardware and about 5% of length to allow for fabric stretch. Final shade sail dimensions will be accurate to 2" due to fabricating tolerances and fabric stretch. The perimeter of each sail is designed with a gentle curve inwards towards the center of the sail to control fabric tension. This inward curve varies between 6-10% of the length of each side of the shade sail. Therefore, when properly installed under tension, the shade sail will not wrinkle, sag, or flap in the wind.



	#	Shape	Perimeter (ex: 1.5in webbing)	Fabric Choice		Inches between mounting points						Finished Sail Dimensions in Inches				
	#			Type	Color	Α	В	С	D	Е		а	b	C	d	е
	1										OR					
1	2															
4	3															

We need the Measurements between the mounting points OR the measurements of the sail itself, NOT BOTH!

More Custom Shade Sail Information